

TENDER NO: AMRRJVMR6001, 27.09.2021					
PRICE – BID					
SCHEDULE OF QUANTITIES FOR INTERIOR FINISHING WORKS OF PROPOSED REGIONAL BUSINESS OFFICE AT ANAKAPALLI					
S.No	Description of item	Unit	Qty	Rate	Amount
1	<p>Officer Table with Side Unit:</p> <p>Providing & fixing in position 1500mm to 1650mm (L) x 750mm (H)x750mm (W) + 1050mm to 1200mm x 450mm x 750mm with the following specifications:</p> <p>Main Table and side Table top and to be made in 25mm block board with 1mm thick glossy laminate. The front side of the table to have a inverted " U " made with 2 x 18mm thick MDF Exterior Grade Board cladded with 1mm glossy laminate on the front and the verticals towards the modesty panel. The modesty panel to have 18mm MDF Exterior Grade Board cladded with 1mm Glossy Laminate and 1mm Laminate as specified.</p> <p>The " L " shaped table top of 25mm Block Board to have extra thickening with 18mm x 50mm MDF Exterior Grade Board and front vertical facia to have 12mm x 43mm MDF Exterior Grade Board lipping cladded with 1mm glossy laminate for the entire table top and the front facia and remaining all exposed faces to have 1mm Glossy Laminate as specified.</p> <p>All other members to be with 18mm MDF Exterior Grade Board and all exposed faces of the table to have 1mm Glossy Laminate as specified above to be used. All the edges of 18mm MDF Exterior Grade Board to have 18mm x 12mm MDF Exterior Grade edge lipping.</p> <p>One readymade CPU mobile pedestal, One Molded Key Board Tray with channels , Ready</p>	Nos	12		

Signature of Agency with seal

	<p>Made Modular Foot Rest - 400mm x 350mm x 65mm. etc.,</p> <p>One Three Drawer Unit made with 18mm MDF Exterior Grade Board and 12mm MDF Exterior Grade Board. The unit to have one vertical filing drawer at bottom and two equal drawers on top. The rate to include all necessary hardware viz., telescopic drawer channels, handles, locks, etc., and 18mm x 12mm MDF Exterior Grade edge lipping etc.,</p> <p>One Side Table with shutter unit of 600mm, with 2 drawers and two openable shutters made with 18mm MDF Exterior Grade Board with necessary hardware viz., ' W ' hinges, handles, locks, tower bolts, etc., and 18mm x 12mm MDF Exterior Grade edge lipping etc.,</p> <p>All the unexposed faces to have 0.8mm Laminate</p> <p>The cost to include all materials, labour etc., for a finished item of work as per drawings and directions etc., complete</p>				
2	Same as above item(1) without front facia of table. Table along with top and below storage unit to be attached to low Height Partition with suitable support using 12mm external grade MDF board..	Nos	18		
3	Chief Managers Table with side unit: Same as above but size of main table is 2.1m x 0.9m x 0.75m. The table top is to be provided with 12mm thick plain in the give shape with beveled edges along with provision for wire managers.	Nos	3		
4	AGM Table: Same as above but size of main table is 2.4 m x 0.75m x 0.90m in given shape and design. The exposed surfaces of table are to be provided with 4mm thick veneer (basic rate Rs. 1600/ Sq.m). The table top along with side unit is to be provided with 6mm thick acrylic solid surface with 12mm thick plain glass in the give shape along with provision for wire manager and edge beveling. Front facia of table should have	Nos	1		

Signature of Agency with seal

	modesty panel made with MDF board and veneer.				
5	<p>FULL HEIGHT PARTLY GLAZED PARTITIONS: (Veneer & Lamination)</p> <p>Providing & fixing in position metal stud dry wall partition with the following specifications:</p> <p>A) Supporting system comprising of 51 X 35 X 0.55 mm thick metal studs @ 600 mm c/c and 51 X 32 mm metal tracks at floor, middle, door and ceiling level with joints staggered. The verticals should touch the ceiling with horizontal ceiling channel at slab/beam bottom. The rate should include necessary strengthening with studs/tracks or channel at doors and other openings.</p> <p>B) 12 mm Exterior grade MDF plywood fixed on both sides with 25 mm dry wall screws.</p> <p>C) 1 mm glossy laminate of given color(s) n shade(s) on one side and 4mm thick veneer on other side (Basic cost of veneer ₹1600/Sq.m) up to false ceiling level.</p> <p>D) 8mm thick clear float glass with 85mm x 18mm al-round MDF exterior grade jamb and 12mm x 2mm MDF exterior grade button beading on both sides of glass to a neat finishing for heights between 900mm and 2100mm. The glass to be finished with designer film with elipse design as per the given design. The designer film is of Harmony/ 3M or equivalent approved make. E) All the MDF jamb and button beading should be finished with duco paint finish.</p>	Sq.mt	35		
6	<p>Full height solid partitions: (cement Fibre Board):</p> <p>Same as the specification for Full height partly glazed partition but the entire height of partition is to be provided with 12mm thick cement fibre board of approved brand finished with laminate</p>	Sq.mt	50		

Signature of Agency with seal

	of 1mm thick glossy laminate on both sides with suitable adhesive approved by engineer-in-charge.				
7	Full height solid partitions: (MDF Board): Same as the specification for Full height partly glazed partition but the entire height of partition is to be provided with 12mm thick EXTERNAL GRADE MDF board of approved brand finished with laminate of 1mm thick glossy laminate on both sides	Sqmt	25		
8	Low Height Partition: Providing & fixing metal stud low height Partitions with following specifications. a) Supporting system comprising of 51 X 35 mm metal studs (of approved make) at 600 mm c/c and 51 X 32 mm metal tracks at floor, middle and at 1200mm level with joints staggered. The rate should included necessary strengthening with studs/tracks or channels at openings. b) 12 mm exterior grade MDF BOARD with 1mm glossy laminate on both sides. c) 85x18 mm exterior grade wooden jamb on all-round partition finished with duco paint. (In locations where glazed partition is required, The partition will have 12 mm clear float glass fixed with SS "D" brackets, from 900mm level to 1200mm level The glass to be finished with designer film with elipse design as per the given design. The designer film is of Harmony/ 3M or equivalent approved make.)	Sq.mt	90		
9	FULL HEIGHT FULLY GLAZED PARTITIONS: Providing & fixing in position 12MM TOUGHENED GLASS with approved brand patch fittings including fixing in position as directed by Engineer-in-charge. Glass should be up to false or roof height (single piece) fixed using Patch Fittings. No wooden or plywood cantles runners to be used for fixing the glass up	Sq.mt	8		

Signature of Agency with seal

	<p>to false ceiling height. Suitable supporting structure if required may be build with best quality wooden members above false ceiling level. (The rate quoted should be inclusive of this supporting system)</p> <p>The glass to be finished with designer film with elipse design as per the given design. The designer film is of Harmony/ 3M or equivalent approved make.</p>				
10	<p>12MM TOUGHENED GLASS MAIN ENTRANCE DOOR AND PARTITION in DOORS:</p> <p>Entrance door - Providing, fixing in position glazed entrance Double door and Single door with patch fitting or approved make (Double Door approx. Size: 1800mm - 1500mm x 2400mm - 2250mm and Single Door approx. Size: 900mm - 1200mm x 2400mm - 2250mm) using 12mm / 10mm toughened glass edge polished. The Door to consist of Heavy Duty Floor spring, Upper Patch, Bottom Patch, Lock Keeper Plate, Euro Profile Cylinder (EPC), "H" Type Handle 32 x 600mm, Corner Lock and the side fixed glass to have 2 Nos. Bottom Patch and 2 Nos. Upper Patch for each door to a neat finish etc., complete as per drawing.</p> <p>The work includes cost of all materials, approved hardware, making necessary template before toughening of glass and fixing the same as per site conditions to a neat finished work as per drawings and directions etc., complete.</p>	Sq.mt	8		
11	<p>Doors in partitions wherever required to be provided with 35 mm thick solid core ISI approved all-round beach wood lipping, all-round fixed in a concealed door frame of best quality beach wood three sides of sections size of 75x75 mm or as advised by the engineer in charge. Flush door shutters to be fixed with 1</p>	Nos	7		

Signature of Agency with seal

	mm laminate on both sides and 8 mm clear float glass with etching design as directed with 50 X 15 mm beech wood jamb all-round the glass opening and 12 X12 mm beech wood beading on both sides for fixing of glass including necessary hardware viz: door stopper, door silencer, door closure Door set lock, handles, brass hinges of approved make & quality, melamine polish finish to all beech wood members etc. complete as directed. (The size of door is approx 2.1m(H)x (0.75m to 0.9m)(W)				
12	Storage Units (Laminate): Providing, making and placing in position Storage Units with horizontal partitions of 1200mm high abutting wall and 750mm to 2100 high as back credenza or abutting partition/wall made in 18mm MDF Exterior Grade Board to all members except table top and 25mm block board for table top. The Table top of 25mm Block Board to have extra thickening with 18mm x 50mm MDF Exterior Grade Board and front vertical facia to have 12mm x 43mm MDF Exterior Grade Board lipping clad with 1mm thick laminate for the entire table top and the front facia and remaining all exposed faces to have 1mm Glossy Laminate as specified. All other exposed faces of the unit to have 1mm Glossy Laminate as specified and all unexposed faces to have 0.8mm thick laminate and all necessary hardware viz., 'W' or wing hinges, locks, handles, tower bolts etc., and MDF Exterior Grade beading 36mm x 36mm at top and MDF Exterior Grade edge lipping 18mm x 12mm etc., as per drawings and directions etc., complete.	Sq.mt	60		
13	Storage Units (Veneer): Same as above but the exposed surfaces are to be finished with venner of 4mm thick (Basic cost ₹1600/Sq.m) duly polishing with melamine spray. Table top is to be provided with 12m thick plain glass with beveled edges on exposed side.	Sq.mt	10		

Signature of Agency with seal

14	Roller blinds: Providing and fixing roller blinds of make Vista or approved equivalent	Sq.mt	20		
15	Wooden Flooring: Providing & fixing 8.0mm thick antistatic SYNTHETIC WOODEN FLOORING, complete in all respect as per Bank's choice. The rate quoted should be inclusive of edge profile/end profile. The rate quoted should be inclusive of foam sheet etc. Basic cost of tile is Rs1000/ Sq.Mts (for A.G.M. Cabin)	Sq.mt	25		
16	<u>GRID FALSE CEILING</u> :Providing and fixing in true horizontal level false ceiling grid system of approved brand The suspension system shall be Trulok Silhouette revealed profile grid system with 15mm wide flanges incorporating a 3mm or 6mm central recess color, black or white revealed. Silhouette main runners and cross tees to have mitered ends with "birds mouth " notches to provide mitered cruciform junctions. Main runners to be spaced at 120mm c/c fixed by using 2mm pre-straightened GI wire. Main tee, rotary stitched of size 15mm x 44mm x 3600mm at every 1200mm c/c maximum and 1200mm cross tee of size 15mm x 44mm x 1200mm at every 600mm c/c maximum and 600mm cross tee of size 15mm x 44mm x 600mm at every 1200mm c/c maximum and 19mm x 19mm x 3000mm wall angle all-round the wall to form grid size of 600mm x 600mm and suspending the grid using 2mm pre-straightened GI wire and 6mm nylon rawl plug at every 1200mm intervals at the main tee and laying of dunne premier miro look mineral fiber tiles manufactured by Armstrong World Industries of size 600mm x 600mm x 15mm over the formed grid etc., complete as directed.	Sq.mt	250		
17	<u>GYPSUM FALSE CEILING:</u> Providing and fixing suspended ceiling system of 12.5mm La Gyp / Boral Plaster Boards fixed to Frame Work / Rondo / Boral Metal System concealed grid key lock	Sq.mt	100		

Signature of Agency with seal

	<p>suspended ceiling system consisting of 5mm suspension rod, adjustable spring loaded suspension clip, top cross rail of 3000mm long of 0.55BMT and furring channel 4000mm long made of 0.5mm BMT the top cross rail to be suspended from ceiling at every 1200mm and furring channel to be fixed to top cross rail at every 600mm to make a grid of 1200 x 600m. All the above components are to be made of galvanized steel. The rates to include cutouts for lighting fixtures / AC grilles / Fire Alarm Detectors etc., along with necessary strengthening and supports for fixing of these. The board joints are to be flush finished with jointing compound and paper tape etc., complete as directed. The rate quoted should include finishing the surface with putty , a coat of primer and two coats of royal emulsion paint.</p>				
18	<p>Wall / Column paneling(LAMINATE):Providing & fixing metal stud wall paneling with the following specification:</p> <p>a) Supporting system comprising 51 X 35 X 0.55 mm thick metal studs @ 600 mm c/c and 51 X 32 mm metal tracks at floor, middle, with joints staggered. The verticals should touch the ceiling with horizontal ceiling channel at slab/beam bottom.</p> <p>b) 12 mm exterior grade MDF board fixed on one side with 25 mm dry wall screws for the entire height of paneling.</p> <p>c) 1 mm glossy laminate and 1mm thick texture laminate (Length X height up to false ceiling will be measured for payment.)</p> <p>The rate quoted should include making niches in paneling .</p>	Sq.mt	150		

Signature of Agency with seal

19	Wall / Column paneling(Veneer) : Same as above for item(18) but finishing is to be done veneer of 4mm thick duly polishing with melamine spray. (Basic Rate : ₹1600/Sq.mt).	Sq.mt	25		
20	Conference Table(Long) : Providing and fixing in position Conference Table of size 11.0mx 1.2m x 0.75m height as per drawing by using 18 mm thick exterior grade MDF board with following specification. 1. Table should have 0.6mx 0.6m box support at every 1.5m distance . Inner sides of box are to be finished with 0.8mm thick white laminate and exposed edges are to be finished with 1mm thick laminate of given shade and pattern. The bottom 150mm of box should have a flayered base of size 0.9m x 0.9m . All boxes should be inter connected at bottom by foot rest for entire length of table. 2. The table top should be 25mm thick block board finished with 1mm laminate of given pattern . Edges should be finished with MDF beading duly painted with duco paint.. 3. Table bottom should be provided with cable tray of size 0.3m x 0.3m made with 12mm exterior grade plywood 0.8mm thick laminate on both sides. 4. Provision should be made at specified locations for pop-up modular switch boards	Nos	1		
21	Conference Table(Rectangular) : Providing and fixing in position Conference Table of size 3.0mx 0.9m x 0.75m height as per drawing by using 18 mm thick exterior grade MDF board with specification as above S.No .(20)	Nos	1		
22	Dinig Table: (Circular) Providing and fixing Dining Table of diameter 1.2m x 0.75m height as per drawing by using 18 mm thick exterior grade plywood with following specification. 1. Table should have "X" shaped support made	Nos	1		

Signature of Agency with seal

	with 18mm plywood section of size 0.6m x 0.075m . All exposed surfaces of supprt are to be finished with 1mm thick laminate of given shade and pattern. 2. The table top should be 25 mm thick block board finished with 1mm laminate of given pattern and color . Top shoud have double thickness at edges with MDF beading duly finished with duco paint.				
23	Centre Table: Providing and fixing Centre Table of size 0.75m(Length) x 0.45m(central width) in oval shape by using 12mm thick toughened glass for top. The table top should have bevelled edges . The glass top should be supported oval shaped support (made with 18mm thick exterior grade MDF boards and flexible plywood) of size 0.75m(Length) x 0.45m(central width)x 1.0m (height). All exposed surfaces of plywood should have 1mm thick laminate of given shade and pattern	Nos	2		
24	ACP CLADDING: Supplying and fixing aluminum composite cladding with skin material 0.5 mm thick aluminum sheet cover material natural polyethylene aluminum cladding panel fixed with extruded aluminum basis frame (50x25x1.5mm) angle cleats, weather sealants, rivets, GI brackets all as approved, using suitable bolts on structural steel work including necessary accessories complete in all respects including all labour charges etc., complete for finished item of work but excluding cost of structural steel fabrication, scaffolding charges, if any, ACP Cladding - 4 mm thick.	Sqmt	60		
25	Glass Planks: Providing and fixing 12 mm thick toughened glass planks of given size with suitable patch fitting to walls/partitions	Sqmt	2		
	Total				
	Discount if any in tems of percentage				
	NET TOTAL				

Signature of Agency with seal

Signature of Agency with seal