

STATE BANK OF INDIA, LOCAL HEAD OFFICE,

MUMBAI METRO CIRCLE, MUMBAI,

THIRD FLOOR, STATE BANK OF INDIA, SYNERGY BUILDING, C-6, G BLOCK, BANDRA KURLA COMPLEX, BANDRA EAST, MUMBAI-400051

TENDER ID: MUM20231205

NOTICE INVITING TENDER (NIT)

REQUIREMENT OF COMMERCIAL/ OFFICE PREMISES IN MUMBAI

State Bank of India invites offers from owners/power of attorney holders for the commercial/office premises on Lease Rental basis for opening of new branch / shifting of existing branches at following locations in Mumbai and adjoining area.

SL NO.	Name of Branch/Office	Status of Branch	Desired Location	Carpet Area Requirement including strong room, E-Lobby (+/- 25%)	Strong Room* (Carpet Area) for Locker
1	NAUPADA -THANE DISPENSARY THANE	Existing Dispensary	Nearby area of the existing dispensary premises (Naupada, Thane West) preferably on the ground floor near the existing dispensary. The area should be free from water logging during rainy season.	74-93 sqm (800-1000 sqft)	
2	THAKUR VILLAGE BRANCH, KANDIVALI (EAST) MUMBAI	Existing Branch	Nearby area of the existing branch premises, preferably on the ground floor near the existing branch. The area should be free from water logging during rainy season.	139-186 sqm (1500-2000 sqft)	11 sqm (200 sqft)
3	THAKUR COMPLEX BRANCH, KANDIVALI (EAST), MUMBAI	Existing Branch	Nearby area of the existing branch premises Thakur Complex The area should be free from water logging during rainy season	242-260 sqm (2600-2800 sqft)	23 sqm (250 sqft)
4	SPECIALISED CURRENCY ADMINISTRATION BRANCH MUMBAI	Opening Branch	Nearby area of the 1. Mulund (East or West) 2. Bhandup (East or West) Preferably on the ground / first floor. The area should be free from water logging during rainy season. Note: It is clarified that out of the above two locations, Bank will decide and open the branch only at one location. Bank reserves the right to reject the bids at other two locations without assigning any reasons thereof. Bank decision in this regard shall be final and	558-651 sqm (6000-7000 sqft)	186 sqm (2000 sqft)

Note:



In case of requirement of RBI Currency Chest (Strong Room "AAA" class) to be constructed in the premises- as per IS 15369:2003 specifications at owners cost (**Annexure-A**).

In case of requirement of strong room* (B) class for lockers and storing other valuables, the same needs to be constructed in the premises as per IS (15369:2003) specifications at owners cost.

In case of strong room (B) class is not required as in A above, strengthening of floor slab is required to bear the additional load of "Locker Safe" to be kept in the premises.

- 2. The premises should be preferably in prime locality in the **desired location** preferably on a main road with adequate dedicated parking space and predominantly in the cluster of commercial establishment on the **Ground floor** ready/likely to be ready for immediate possession.
- 3. Premises should be ready for possession / occupation or expected to be ready within 3(three) months from the last date of submission of proposal. Preference will be given to ready to use premises. Preference will also be given to Premises owned by the Govt./Semi-Govt. departments / Public Sector Units / Public Sector banks.
- 4. The format for submission of the "Technical bid" containing detailed parameters, terms and conditions and "Price bid" can be downloaded from the SBI website @ https://sbi.co.in/web/sbi-inthe-news/procurement-news from 15/12/2023 to 28/12/2023.
- 5. The offers in a sealed cover complete in all respects should be submitted in tender box at the following address on or before **3.30pm on 28/12/2023** during working hours.

Assistant General Manager (P&E), Local Head Office, Mumbai Metro Circle, Third floor, State bank of India, Synergy building, C-6, G block, Bandra Kurla Complex, Bandra East, Mumbai-400051.

The SBI reserves the right to accept or to reject any offer without assigning any reason therefor. No correspondence in this regards will be entertained.

No Brokers please.

ASSISTANT GENERAL MANAGER (P&E)
LOCAL HEAD OFFICE, MUMBAI METRO CIRCLE



TECHNICAL BID

TERMS AND CONDITIONS

OFFER/LEASING OF COMMERCIAL/OFFICE PREMISES

This tender consists of two parts viz. the "Technical Bid" (having terms and conditions, details of offer and Annexure-I) and the "Price Bid". Duly signed and completed "Technical" and "Price Bid" are required to be submitted separately for each proposal (Photo copies may be used in case of multiple offers). The "Technical Bid" and "Price Bid" for each proposal/offer should be enclosed in separate sealed envelopes duly superscribed on top of the envelope as "Technical Bid" or "Price Bid" as the case may be and these envelopes are be placed in a single cover superscribing "Tender for leasing of Commercial/Office premises for proposed ______ branch" and should be submitted at the Office of the ASSISTANT GENERAL MANAGER (P&E), Local Head Office, Mumbai Metro Circle, Third floor, State bank of India, Synergy building, C-6, G block, Bandra Kurla Complex, Bandra east, Mumbai-400051.on or before 3.30PM on 28/12/2023.

Important points of Parameters -

1	Carpet Area	As specified in NIT
2	Parking Space	One dedicated car parking per 92.94sqm (1000sqft) area & 4 to 6 dedicated Two wheelers parking for staff.
3	Open parking area	Sufficient open parking area for customers
4	Amenities	24 hours Potable water supply availability, Generator power back up, Electricity etc.
5	Possession	Ready possession / occupation/expected to be ready within 3 (three) months from the last date of submission of proposal, with all requisite approvals in place such as OC & other approvals for running a Bank branch.
6	Premises under Construction	Will not be considered and rejected.
7	Location	In the vicinity of the existing Branch to be shifted (in case of shifting of Branch) & location as specified in NIT(in case of new Branch)
8	Preference	 (i) Premises duly completed in all respect with required occupancy certificate and other statutory approvals of local civic authority. (ii) Single Floor (Preference shall be given to GF) (iii) Offer from Govt./Semi Govt. Departments / PSU / Banks (iv) Ready to occupy premises/ expected to be ready within 3 (three) months from the last date of submission of proposal.
9	Unfurnished premises	May be considered and Bank will get the interior and furnishing work done as per requirement. However, all mandatory Municipal license/NOC/approval of layouts, internal additions/alterations etc. as necessary from Local Civic Authority/collector/town planning etc. for carrying out the interior furnishing/ internal additions/alterations etc. in the premises by the Bank will be arranged by the owner within one month from the date of providing internal layout plan by SBI.



10	Initial period of lease	5 + 5 years (Max 15% hike after 5 years) with an option to renew for a further period on mutually negotiated rates after a period of 10 years.
11	Selection procedure	Techno-commercial evaluation by assigning 70% weightage for technical parameters and 30% weightage for price bids.
12	Validity of offer	6 months from the last date of submission of the offer
13	Stamp duty / registration charges	To be shared in the ratio of 50:50.
14	Fit out period	3 Months after completion of civil work and other mandatory approvals by Land lord.
15	Rent payable	After the completion of the interior works, etc. by the bank, the lease agreement will be executed and the rent payable shall be reckoned from the date of occupation.

TERMS AND CONDITIONS

- 1.1 The successful vendor should have clear and absolute title to the premises and furnish legal title report from the SBI empanelled advocate at his own cost. The successful vendor will have to execute the lease deed as per the standard terms and conditions finalized by the SBI for the purpose, and the stamp duty and registration charges of the lease deed will be shared equally (50:50) by the lessors and the SBI. The initial period of lease will be 5 years and will be further renewed for 5 years term (viz. total lease period 10 years) with requisite exit clause to facilitate full / part de-hiring of space by the SBI during the pendency of the lease. As regards increase or decrease in rents payable, increase in rent if any shall be subject to market conditions & in the range of 15%(maximum) after initial term of 5 years is completed. After 10 years, rent can be negotiated and finalized with mutual agreement so that new lease can be executed for further term of 10 years.
- 1.2 Tender document received by the SBI after due date and time i.e **28/12/2023 after 3.30** pm shall be rejected.
- 1.3 The lessors are requested to submit the **tender documents in separate envelopes** superscribed on top of the envelope as **"Technical Bid"** or **"Price Bid"** as the case may be duly filled in (as stated earlier) with relevant documents/information at the **following address:**

ASSISTANT GENERAL MANAGER (P&E)

Local Head Office, Mumbai Metro Circle

Third floor, State bank of India,

Synergy building, C-6, G block,

BKC, Bandra East, Mumbai-400051.

- 1.4 All columns of the tender documents must duly filled in and no column should be left blank.

 All pages of the tender documents (Technical and Price Bid) are to be signed by the authorized signatory of the tenderer. Any over-writing or use of white ink is to be duly initialed by the tenderer. The SBI reserves the right to reject the incomplete tenders.
- 1.5 In case the space in the tender document is found insufficient, the lessors/ tenderers may attach separate sheets.



- 1.6 The **offer should remain valid** at least for a period of **6 (SIX) months** to be **reckoned from** the last date of submission of offer.
- 1.7 There should not be any deviation in terms and conditions as have been stipulated in the tender documents. However, in the event of imposition of any other conditions, which may lead to a deviation with respect to the terms and conditions as mentioned in the tender document, the lessor is required to attach a separate sheet "list of deviations", if any. 1.8 The **Technical Bid** will be **opened on 29/12/2023 at 11.30 AM** in presence of tenderers who choose to be present at the office of ASSISTANT GENERAL MANAGER (P&E), Local Head Office, Mumbai Metro Circle, Third floor, State bank of India, Synergy building, C-6, G block, Bandra Kurla Complex, Bandra (east), Mumbai-400051,. All tenderers are advised in their own interest to be present on that date at the specified time.
- 1.9 The SBI reserve the right to accept or reject any or all the tenders without assigning any reason therefor.
- 1.10 Canvassing in any form will disqualify the tenderer. **NO BROKERAGE WILL BE PAID TO ANY BROKER.**
- 1.11 The shortlisted lessors will be informed by the SBI for arranging site inspection of the offered premises.
- 1.12 Income Tax and other statutory clearances shall be obtained by the lessors at their own cost as and when required. All payments (Rent + GST) to the successful tenderer shall be made by Account Payee Cheque or RTGS/NEFT.
- 1.13 **Preference** will be given to the exclusive building/floor in the building having ample parking space in the compound / basement of the building. **Preference will also be given to the premises owned by the Govt. Departments / Public Sector Units /Banks as stated earlier.**
- Preference 1.14(a) will be given the buildings the main road. to on 1.14(b) The offered premises should be free from water logging during rainy season. 1.14(c) The details of parameters and the technical score has been incorporated in **Annexure** I. The selection of premises will be done on the basis of techno commercial evaluation. 70% weightage will be given for technical parameters and 30% for price bid. The score finalized by Committee of the SBI in respect of technical parameters will be final and binding to the applicant.
- 1.15 The **income tax and other taxes** as applicable will be **deducted at source** while paying the rentals per month. **All taxes, society maintenance and service charges** shall be **borne by the landlord**. While renewing the lease after expiry of initial lease period of (5+5) years, the effect of subsequent increase/decrease in taxes and service charges shall be taken into account for the purpose of fixing the rent.

However, the landlord will be required to bill the SBI every month for the rent due to them indicating the GST component also (if applicable) in the bill separately. The bill also should contain the GST registration number of the landlord, apart from name, address etc. of the landlord and the serial number of the bill, for the bank to bear the burden of GST, otherwise, the GST if levied on rent paid by landlord directly, shall be reimbursed by the SBI to the landlord on production of such payment of tax to the Govt. indicating name, address and the GST tax registration number of the landlord.

1.16 The interest free rental deposit equivalent to maximum six month's rent may be granted to the landlord at the time of taking possession of the premises depending upon the need / demand of the landlord for the same and such deposit will have to be adjusted during the last six months of occupation.



1.17 Mode of measurement for premises is as follows:

Rental will be paid on the basis of "Carpet area" which is to be measured only after addition and alteration work carried out as per banks approved layout plan for the Branch.

A. Rentable Carpet area shall be area at any floor excluding the following area Walls

Columns

Balconies

Portico/Canopy

Staircase

Lofts

Sanitary shafts

Lift wells

Space below window sill

Box louver

AC duct

B. Measurement of Mezzanine floor area (if any) shall be considered as under:

Floor to ceiling Height

Above 2.6m: 100% of carpet area.
Above 2.1m upto 2.6m: 50% of carpet area.
Below 2.1m: Not to be considered

C. The following shall be including in wall area and shall not be measured.

Door and door opening in the walls

Build in cupboards

- D. The measurement will be taken from the internal face of wall to the glass façade provided adjacent to the rolling shutter for demarcating/ calculating the area.
- 1.18 The floor wise area (viz. Ground, First, etc.) with the corresponding rate for rent/taxes should be mentioned in the Price Bid. The number of car parking spaces/Slot offered should be indicated separately.
- 1.19 The successful lessor should arrange to obtain the municipal NOC/ Society NOC/ approval of layouts, internal addition/alteration works etc. from Local Civic Authority/collector/town planning etc. for carrying out the interior furnishing of the premises by the Bank. Lessor should also obtain the completion certificate from Municipal authorities after the completion of the above works. The required additional electrical power load will have to be arranged by the lessor at his/her cost from the State Electricity Board or any other private electricity company in that area, NOC and the space required for installation and running of the Generator (in case Generator is not provided) will also have to be provided by the lessor within the compound by the lessors at no extra cost to the Bank.
- 1.20 Lessor should obtain and furnish the structural stability certificate from the licensed structural consultant at his cost and arrange for requisite permission/approval for installation of Roof top antenna/outdoor units of air-conditioners/ display of signboards etc.
- 1.21 The lessor shall also obtain/submit the proposal to Municipal Corporation/Collector/town planning etc. for the approval of plans immediately after receipt of approved plans along with other related documents so the interior renovation work can commence, in case of unfurnished premises.
- 1.22 After the completion of the interior works, etc. the lease agreement will be executed and the rent payable shall be reckoned from the date of occupation. The lease agreement will include interalia, a suitable exit clause and provision of de-hiring of part/full premises.



- 1.23 All the civil work as per plan & specifications provided by SBI including construction of Cash Room, Strong Room for locker, ATM / e-lobby, Record & Stationary room, System and UPS room, ladies and Gents Toilets (including plumbing/sanitary fittings), Pantry, Staircases, Main and Exit Door, Grills to all Windows, glass façade with toughened glass, ramp at main entrance, Rolling shutters and collapsible door to Main and Exit doors, etc. will be carried out by the lessor at his cost. Flooring of the banking hall of the premises shall be of Doubled charged vitrified tiles and flooring of Record/Stationary Room shall be of Polished Kota stone. Lessor(s) will be required to engage the Architect, as approved by the SBI for supervision of the entire activities of construction, at their own cost.
- 1.24 The lessor shall arrange to provide space on terrace or suitable location within the boundaries for **installation of antenna (Dual connectivity)** on 3m/ 6m/9m pole (as per site condition & requirement to ensure proper connectivity) for branch connectivity. All required NOC's/ approvals/ permissions from society/ local authority shall be obtained by the lessor for installation of antenna.
- 1.25 Bank shall take possession of the demised premises only after completion of all the civil construction works & submission of necessary certificates from the licensed Structural consultant and Architect, as required by the SBI and fulfillment of all other terms and conditions of technical bids as mentioned above.



DETAILS OF OFFER (Part of technical bid) OFFER SUBMITTED FOR LEASING PREMISES

(If anybody willing to offer for more than one premises, separate application to be submitted for each premises)

<u> </u>	ittou ioi ouon pronnecej	
With r	eference to your advertisemen	nt in the dated
We he	ereby offer the premises owned	d by us for Commercial / Office use on lease basis:
Gene	ral Information:	
Α	Location:	
A.1	Distance in Km from the Desired location	
A.2	Distance in Km from the nearest City Bus Stop.	
B.	Address:	
B.1	Name of the Building	
B.2	Plot No & Door No.	
B.3	Name of the Street	
B.4	Name of the City	
B.5	Pin Code	
С	Name of the owner	
C.1	Address	
C.2	Name of the contact person	
C.3	Mobile no.	
C.4	Email address	



Technical Information (Please √ at the appropriate option)

a. Building: Load bearing () RCC Frame	ed Structure ()	
b. Building: Residential (), Institutional (), Industrial (),	Commercial ().
c. No. of floors ()		
d. Year of construction and age of the build	ling ().	
e. Floor of the offered premises:		
Level of Floor	Carpet area	
Total Floor Area		
l Note- The rentable area shall be in accor " Technical Bid".	dance with the one ment	ioned under clause/para 1.17 o
Building ready for occupation-Yes	No	
If no, how much time will be required for oc	cupation w	vith end date.
Amenities available		
Electric power supply and sanctioned load	for the floors	
Offered in KVA (Mentioned)		
Availability of Running Municipal Water Su	oply	Yes/No
Whether plans are approved by the local at	uthorities	Yes/No
(Enclose copies)		
Whether NOC from the local authorities has	s been received	Yes/No
Whether occupation certificate has been re	ceived	Yes/No
(Enclose copy)		
Whether direct access is available, if yes gi	ive details	Yes/No
Whether fully air conditioned or partly air co	onditioned	Yes/No
Whether lift facilities are available		Yes/No
No. of car parking/scooter parking which ca	an be offered	Car-

Declaration

Exclusively to the Bank

I/We have studied the above terms and conditions and accordingly submit our offer and will abide by the said terms and conditions in case our offer of premises is accepted.

I/We also agreed to construct/addition/alteration i.e. Cash safe Room, Record/Stationary room, System/ups Room, Ladies and Gents Toilet and Pantry with all fittings and fixtures, Verified Tile Flooring and other works as per Banks specifications and requirement.

Scooter-



ANNEXURE - I (PART OF TECHNICAL BID)

PREMISES REQUIRED ON LEASE

Parameters based on which technical score will be assigned by SBI.

(NOT TO BE FILLED BY THE PROSPECTIVE LANDLORD)

TECHNICAL PARAMETERS AND SCORING BASED ON THEIR MARKS

The detailed list and marks assigned to each parameter is as under:

Sr	Parameter	Maximum
No		Marks
1	Distance from the desired location (as per NIT) i) upto 0.5 Kms (20 marks) ii) More than 0.5 Km and upto 01 kms (10 marks) iii) More than 01 and up to 02 Kms (5	20
	marks) iv) More than 2 Kms (0 marks)	
2	Available Frontage of the Premises	
	above 15 metres (10) above 10m to 15 m (7) above 6m to 10 m (5) Less than 6 m (0)	10
3	Nearby surroundings, approach road and location	10
	 i) Commercial Market Place with wide approach (10 marks) ii) Partly Commercial/ Residential locality with wide approach (7 marks) iii) Commercial Market Place with narrow approach (5 marks) iv) Partly Commercial/ Residential locality with narrow approach (0 marks) 	
4	Quality of construction, Load Bearing/ RCC framed structure & adequately Ventilated, Ambience & Suitability of premises. Excellent (30) Good (20) Satisfactory (10) Unsatisfactory (0)	30
5	Availability of Premises in respect of branch on Ground Floor (20) First Floor (10)	20
6	Availability of Parking as specified (10) Availability of parking less than as specified (5)	10
	TOTAL	100



PRICE BID

(TO BE SUBMITTED IN A SEPARATE SEALED ENVELOPE)

With reference to your advertisement in the	dated	and having	studied and
understood all terms and conditions stipulated in the	ne newspapers	advertisemer	it and in the
technical bid, I/We offer the premises owned by us	for Commercia	l/office use on	lease basis
on the following terms and conditions:			

General Information:

Location:

Name of the Building	
Door No.	
Name of the Street	
Name of the City	
Pin Code	
i. Name of the owner	
ii. Address	
iii. Name of the contact	
person	
F	
iv. Mobile no.	
v. Email address	
	Name of the Street Name of the City Pin Code i. Name of the owner ii. Address iii. Name of the contact person iv. Mobile no.



D	^	n	+	
\mathbf{r}	ᆫ		ι	=

Level of Floor/Floor	Carpet Area (sqm)	Rent per sqm. per month (Rs.)	Total rent per month
No.		#Please refer note below	
Total			

Rentable area will be based on "Carpet area" of the floor in accordance with the one mentioned under para / clause / item 1.17 of technical bid. Please note that the rent should be inclusive of municipal taxes/Property tax/cess, service charges like society charges, maintenance charges etc. and will not be paid separately by the Bank.

The GST if levied on rent paid, shall be reimbursed by the SBI to the landlord on production of such payment of tax to the Govt.

Declaration

We have studied the above terms and conditions and accordingly submit an offer and will abide by the said terms and conditions in case our offer of premises is accepted.

Place:	
Date:	Name & Signature of lessor(s) with seal if any



ANNEXURE-A

Annex

Technical Specifications for construction of Currency Chests (CCs) Strong Rooms (vaults) by bank

Class of Vaults Geographical location of CC at Basement and ground floors of the buildings		State Capital, and District Capital, and District HQ cities, State Capital, and District HQ effected areas as considered by Ministry of Home Affairs (MHA), GOI/ concerned State		В	
				borders i.e. within 80 kms and other insurgency effected areas as considered by Ministry of Home Affairs	s places as considered by State Governments / d any appropriate s authority
Application	Wealth Level	High	High	Medium	Medium
77	Risk Level	High	High	Very high	High
Main door with time-lock [see IS 11188 (Part I) for construction details to be fixed on the front side		Class AAA			Class B
Emergency Door [see IS 11188 (Part 1) for construction details] if to be provided and fixed on the back side as per the layout prepared by the banks' Architect / Structural consultant.					Class B
Internal clear usable size without		Area: Minimum 1500 sq ft, Height: 3000 Area: Minimum 600 sq ft, Height 3000 mm mm design of the Structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given here for achieving the structural consultant subject to minimum requirements given the structural consultant subject to minimum requirements given the structural consultant subject to minimum s		CONTRACTOR STRUCTURES	
Construction sharesistance against devices, power s	March 1994 Str. March 1995 Str. Co. Str. P. Millian L.	land-held/picking ce against gas cu	TIMBAAMI BAHANIA AIRKII	t to minimum requirements given ic/ hydraulic/ concrete cutting /dril etc; fire hose stream reheat end	urance against exposure t
PARTONIC CONTRACTOR CO		450 mm, Minimum		600 mm, Minimum	225 mm, Minimum
Floor and roof		450 mm, Minimum		600 mm, Minimum	150 mm, Minimum
Concrete Mix (se	ee IS 456)	M50, Minimum		M60, Minimum	M50, Minimum
TATALOGRAPHIC INITIA LUI		Company of the last of the las		20 mm	12 mm



Class of Vaults		I AAA			В		
Geographical location of CC at Basement and ground floors of the buildings		Metro Cities, State Capital, and District HQ	Other centres (except Metro cities, State Capital, and District HQ)	Places near International borders i.e. within 80 kms and other insurgency effected areas as considered by Ministry of Home Affairs (MHA), GOI/ concerned State Government	Inaccessible/ hilly places as considered by State Governments / any appropriate authority		
Steel grid in walls, floor and roof	Mesh	ways: once such	h mesh placed staggered n such a manner so as t	s at 200 mm x 200 mm c/c both d on both the faces of each wall, o make less than 100 mm x 100	75 mm x75 mm c/c openings. Rest remains same as AAA.		
Twisted tang bare laid with	etannered	2 Rows in Walls		3 Rows in Walls	Not mandatory		
Twisted tang bars laid with staggered joints and 25 mm overlap, Minimum		2 Layers in Floor		3 Layers in Floor			
		2 Layers in Roof		3 Layers in Roof			
Surveillance passage/ Patrol corridor		1150 mm, Minimum for Front and Back, 750mm, Minimum for sides					
Heating ventilation and Air Conditioning (HVAC) arrangements		Shall be provided through plenum chamber attachment to manhole / emergency door					
Security Ventilator (see ISD 14387/ Exhaust fan)		Height from Floor Level: 2100 mm, Minimum. Opening Size: 450 mm x450 mm, Max					
The state of the state of the	Other Sec	urity and surveilla	nce systems to be provid	ded and installed inside the vault	科·斯·斯·斯		
Close circuit Television (CCTV) coverage for vault including patrol corridor and other chest areas	Shall be n power su	Shall be necessarily provided and always maintained in working order through service contracts and uninterrupted power supply					
Emergency lighting	power su	Shall be necessarily provided and always maintained in working order through service contracts and uninterrup power supply					
Smoke Detection and fire alarm system	Necessar order thro	Necessary Fire-extinguishers for fighting A, B and C class fire shall be provided and always maintained in working order through service contracts and interrupted power supply.					



Fire-fighting systems	Necessary fire -extinguishers for fighting A, B and C class fire shall be provided and always maintained in working order through service contracts				
Burglar and Security alarm system	Sensors for movement/ vibration/ moisture/ heat / smoke/ magnetic etc. detecting based system, capable of automatically raising an alarm using hooters/ sirens etc. in the currency chest premises as well as at a remote location whenever the currency chest is attacked, shall be provided and shall be periodically tested and always maintained good working order through service contracts and uninterrupted power supply.				
Other security an	d suppelliance systems to be provided and installed outside the Vault area in currency chest Premises.				
Fire-fighting systems	Fire Extinguishers and Sprinkler or Dry/ Wet riser system shall be provided and always maintained in good working order through service contracts.				
CCTV coverage for peripheral area surrounding the chest premises	Shall be necessarily provided and always maintained in good working order through service con uninterrupted power supply.				
Biometric Access Control Systems	maintained in working order through service contracts and uninterrupted power supply.				
Burglar and Security Alarm systems	shall be provided and shall be periodically tested and always maintained in good working order through service contracts and uninterrupted power supply.				
	Other measures to be taken for ensuring security and safety of treasure stored in valuits	W (馬)			
Whether armed security gua	ards are required to be posted at the chest premises in addition to the police guards provided by State	Yes			
Whether Police- guard roon	ns shall be provided with all necessary facilities for the guards to take rest near the strong room?	Yes			
Whether cell-phones to be	given to the security – guards guarding the vaults?	Yes			
	e connection to nearest Police Station is required to be provided at chest premises?	Yes			
Insuring the vaults against terrorist/ insurgent/ vandal/ mob attack etc.	Insurance is not required if treasure is guarded by state Armed Police guards. In case it is guar servicemen security agencies sponsored by Directorate General Resettlement, banks may take insurat their option/ cost.	ded by ex ance cove			