TECHNICAL BID

ANNEXURE 'A'

	e submitted in separate sealed or emises for						
With reference to your advertisement in the							
1.	Location						
(a)) Name of the Building						
(b)) Address						
(c)) Name of City						
(d)) PIN Code						
(e)) Name of owner(s)						
	Technical Information Building Bearing		:	Yes/No			
RCC	Framed Structure		•	Yes/No			
(b) Comn	Type of Building nercial		:	Yes/No			
(c)	No. of floor(s) proposed for Ba	<u>nk</u>		Basement/Ground Floor/ Other floors			
(d)	Whether building is earthquake resistant: Yes/No						
(f)	Whether water-proofing treatment been done on the terrace If not, When it will be done			: Yes/No			
3.	Built up area of the Premises (Mention floor wise area)		:	Sq.Ft . (*)			
(*) To be worked out as per Point No.2 of the Price Bid]							
				contd2			

4. Whether building plan is enclosed If 'NO' reasons for the same and when it will be Submitted			: Yes/No				
5.		Whether building plans are approved by	tho				
J.		Local Authorities If 'No' reasons for the same and when these will be approved and submitted.		Yes/No 			
 7. 		Whether building is ready for occupation If 'No' how much time will be required fo occupation Amenities available:		: Yes/No			
	(i)	Electric Power Supply	:	Yes/No			
	` '	 Electric load of 30 KW will be provided by the landlord for the exclusive use of the Bank at his cost. Bank will pay actual electricity consumption charges. Electrical wiring, Electrical panel, earthing etc. will be done by the landlord as per Bank's requirement. Bank will provide electrical fixtures such as fans/tube lights etc. 					
	(ii)	Water Supply	:	Yes/No			
	(iii)	Municipal Water Connection and underged by the landlord at his cost. Whether N.O.C. from the local authorities Obtained. If 'No' in how much time it will be obtain Whether landlord is ready to carry out Additions/alterations, new constructions Per Bank's requirement (as per enclose Specification in Annexure – I)	ed : as				
Da	ted	:		TURE OF OWNER(S) ACT NO. (S)			

(Note If signing on behalf of landlord attach authority letter or reasons for the same)

GENERAL SPECIFICATIONS FOR THE BRANCH BUILDING OF STATE BANK OF INDIA

- 1. Floor slab to be strengthened to take the load of locker safes and cash safe.
- 2. All external walls should be at least of 9" thickness in brick masonry, duly plastered, on both sides.
- 3. All openings/windows to have glazed shutters and M.S. Grill made with 12mm Sq. bars placed at 3" c/c both ways.
- 4. Flooring to be of vitrified tiles of a reputed manufacturer (KAJARIA/NITCO/MARBITO/NAVEEN/JOHNSON) and approved shade (in combination of two shades) of size 600x600 mm.
- 5. Provision of Gents Toilet (two urinals, one European W.C., oval shaped washbasins over granite stone slab counter and other modern accessories), Ladies toilet (one European W.C., one washbasin and other modern accessories) and toilet attached with B.M.' cabin (one European W.C., one washbasin & other modern accessories).
- 6. Provision of Ceramic tiles of size 12"x18" with highlighter on walls upto a height of 7' and 12"x12" on floor in toilets.
- 7. Structural adequacy of the building to be ensured by the landlord. Structural safety certificate is to be submitted by the landlord through his/her architect before handing over possession to the bank.
- 8. Round the clock adequate water supply. Underground/Overhead water tank storage with water boosting arrangements to be provided by the landlord.
- 9. Sewer connection/septic tank to be provided in the building.
- 10. Plinth level of the building to be at least 2' above Centre of present road level.
- 11. TW doors and windows to be provided in the building with openable glazed panels and wire mesh for windows.
- 12. Walls/ceiling to be pained with plastic paint of approved shade after applying POP.

Contd. ...2....

- 13. Collapsible grille door to be provided at the entrance and safe room, emergency exit and locker room (for other than R C C strong room for lockers).
- 14. Rolling shutter to be provided at the entrance and emergency door.
- 15. The front elevation and all external walls of the Bank to be paired with APEX-ULTIMA.
- 16. Sanitary fitting of first quality such as PARKO/ZIM/JAQUAR or equivalent should be provided in the toilets.
- 17. A ramp for disabled at the entrance of around 3' width to be provided along with SS Railing in addition to steps.
- 18. Parking space and inner pathways to be provided with Paver Tiles in required design and shades.
- 19. Proper building plan showing various dimensions, side elevations, proposed designing, parapet wall, sunshades, porch etc. to be submitted by the landlord. Landlord will engage the services on a qualified architect for the entire work.
- 20. Boundary wall with brick wall, iron railing and Iron Gate.
- 21. Granite/Marble stone in main entrance area.
- 22. Construction of pucca strong room for locker room is to be done with 12" R.C.C. walls, floor and roof with cement concrete 1: 1.5:3 and 12 dia mm MS bars placed at 150 mm centre to centre on both directions and on both faces. In case of existing building the roof of strong room is to be fortified with 20 mm square bars placed at 75 mm centre to centre in both directions welded together and in MS angle frame of size 75 x 75x 6 mm.

OR

Locker room will be constructed with 9" thick brick walls.

(To Strike off as per requirement)

- 23. Construction of toilets, stationery room, record room, pantry with 4 1/2" thick brick walls and cash safe room with 9" thick brick walls.
- 24. Brick coba waterproofing on the roof.

I undertake to provide the building to the bank in accordance with the above specifications/ and as per requirement of Bank.

SIGNATURE OF LANDLORD

PRICE BID

Premi Branc With re by offe	e submitted in separate sealed enveses for		(Name of, I/We here-			
	ral Information:					
<u> </u>	Location					
	me of the Building					
	dress me of City					
PIN	N Code					
Na	me of owner(s)					
2.	Built up area of the building offer	ed for Bank	<u>k</u> Sq.ft(X)			
3.	Rent:					
v.	Rent per Sq.ft.	F	Rs(A)			
	(In figures and words)		, , , , , , , , , , , , , , , , , , ,			
	Total Rent of the building (In figures and words)	: I	Rs			
4.	Period of Lease and Enhancemer	nt in rent:				
-	period of lease will be 10 years with enhance	ancement in r	rent after every 05 years as			
under: Enhance	cement in rent after every 05 years:	%				
5.	Execution of Lease Deed: The lease deed will be registered for the total period of lease and stamp duty charges will be shared on 50:50 basis by the landlord and Bank. Other charges in this connection, will be borne by the landlord.					
	Taxes: apal Taxes/Cess, Service Charges and all ank shall reimburse Service Tax as applicately applied to the control of the		<u> </u>			
Dated	:		TURE OF OWNER(S) ACT NO. (S)			